2. *Age limit.*—The maximum age of entry into service will be 25 years in the case of Brahmin candidates and 28 years in the case of Backward community candidates.

3. *Departmental tests.*—In addition to the general educational qualifications specified above, candidates may be required to pass such departmental tests as may be prescribed by Government from time to time.

4. As vacancies occur, the appointments will be made from the approved lists according to the relative order of mention therein of the names of candidates.

5. The appointed candidate will be started as Probationer in the Unit of recruitment and will, on the cessation of the temporary or acting vacancy in which he is appointed, be as far as possible, continued and provided in other vacancies of the same class, till he is finally absorbed. He will ordinarily start at the bottom of service in the class to which he is appointed and will be on probation for a period of one year from the date on which he joins duty.

6. Intending candidates should submit their applications in duplicate in the prescribed form together with copies of testimonials, etc., so as to reach the undersigned on or before the 10th March 1940.

7. No notice will be taken of applications that are not in response to this Notification or are received after the due date or are not submitted in the prescribed form or do not furnish all the particulars required in various columns of the form.

8. Candidates who are already holding permanent or acting appointments and candidates whose names have already been assigned to some units must not apply.

9. Severe notice will be taken of the candidates who give false information.

By Order,
K. THIPPERUDRIAH,
Secretary,
Central Recruitment Board.

ENGINEERING DEPARTMENT.

BANGALORE DIVISION.

Notification dated 10th February 1940.

1. Sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 2 P.M. on 4th March 1940, for Restoring and Improving Bettahalli Urumundinkere, Reg. No. 107, Kudur Hobli, Magadi Taluk.

2. Tenders in the prescribed form obtainable on payment of Re. 0-4-0 per form from the Office of the Executive Engineer, Bangalore Division, should be addressed to the Executive Engineer, Bangalore Division, in a sealed cover and superscribed as "Tender for restoring and improving Bettahalli Urumundinkere, Reg. No. 107 of Magadi Taluk. The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a duplicate challan for having credited into the Treasury the deposit amount of Rs. 200 under "17(*a*) P. W. Deposits" or Mysore Government Bonds, duly endorsed at face value or market value, whichever is less, as earnest money. The earnest money of the successful tenderer will be retained as security deposit for the due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 4th March 1940 at 3 P.M. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental Schedule Contract Form, for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay Specifications (1931).

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Bangalore, on all working days between 11 A.M. and 5 P.M. and may be obtained from that officer on payment of Rs. 3 for each.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions or additions, at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of May 1940, failing which the Executive Engineer may, at his discretion, levy a penalty of Re. 1-2-0 per day, which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will, however, be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(*a*) The contractor should at his own cost—

(1) Provide rods, stakes, ropes and labour required in setting out the works.
(2) Provide all necessary scaffolding, centering, labour and appliances for hoisting.
(3) Provide mortar mills and sheds, to keep materials under cover and also for workmen.
(4) Arrange for protecting work during inclement weather.
(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.
(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.
(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.
(8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary with his own pumping apparatus including necessary leading drains, slump pits, etc.
(9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.
(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by insurance at the proper time.

Note.—(*b*) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Approximate quantities for restoring Bettahalli Urumundinkere, register No. 107, Magadi Taluk.

No.	Items of work	Unit	Rate	Quantity	Rate to be quoted	
					Figures	Words
	BUND.		Rs. a. p.			
1	Jungle clearing with roots, etc.	Grade	1 0 0	12		
2	Cutting grips and trenches in the bund for the seat of new earth	,,	2 0 0	12		
3	Removing ant hills and filling with gravel	Each	..	3		
4	Earthwork to bund with watering and tamping with the required lead and lift	C.yd.	0 3 6	6,038		
5	Turfing the slopes and watering till it is satisfactory	S.yd.	0 0 9	3,499		
6	Providing and fixing grade stones on bed slab of 6″ thick and figuring and painting, etc.	Each	1 8 0	14		
7	Providing and fixing Index stones	,,	0 6 0	14		
8	Providing and fixing Bench Mark stone on bed slab of 6″ thick including figuring and painting, etc., complete	,,	3 0 0	2		
9	Providing and fixing Register No. stone on bed slab of 6″ thick including figuring and painting, etc., complete	,,	3 0 0	1		
10	Rough stone revetment with jelly backing and jelly wedging, etc., including required lead and lift, etc., complete	C.yd.	1 8 0	870		
	WASTE WEIR.					
1	Earthwork excavation and using the earth to the bund with the required lead and lift	C.yd.	0 3 0	19½		
2	Granite jelly concrete in surki mortar	C.ft.	0 4 0	44		
3	Burnt brick in surki mortar	,,	0 4 6	337		
4	Burnt stone slabs 6″ thick dressed one line and set in surki mortar	S.ft.	0 4 6	77		
5	Plastering with surki mortar	Sqr.	4 0 0	3·73		
6	Providing joggle joints	No.	0 8 0	6		
7	Removing and resetting old rough stone apron with new jelly backing and jelly wedging including required lead and lift, etc.	C.yd.	0 8 0	11		
8	Rough stone work with jelly backing and jelly wedging including required lead and lift	,,	1 8 0	3		
	SLUICE.					
1	Earthwork cut opening the bund and filling the same with watering and tamping, etc.	C.yd.	0 6 0	50		
2	Earthwork excavating for foundation and using the spoil to the bund with the lead and lift, etc.	,,	0 3 0	25		
3	Burnt stone jelly concrete in surki mortar	,,	0 4 0	25		
4	Burnt brick in surki mortar	,,	0 4 6	100		
5	Burnt stone slabs 6″ thick one line dressed and fixed in surki mortar	S.ft.	0 4 6	50		
6	Plastering with surki mortar	Sqr.	4 0 0	3·00		
7	Cutting holes in slabs	Each	1 0 0	2		
8	Providing plug and rod with locking arrangement, etc., complete	,,	15 0 0	1		
9	Cast iron pipes 6″ dia. of 12 ft. lengths including carting, fixing and jointing, etc., complete	R.ft.	2 8 0	..		

N. LAKSHMINARASIMHAIYA,
Executive Engineer.

BUILDINGS DIVISION.

Notification dated 13th February 1940.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Buildings Division, up to 2nd March 1940, till 2 P.M. for constructing a New Research Laboratory in the Serum Institute Hebbal, Bangalore.

An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of July 1940.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 1,440 (rupees one thousand four hundred and forty only) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing a New Research Laboratory in the Serum Institute, Hebbal," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Tender must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any tender quoted at so much percentage less or more than estimated rate will not be accepted.

Tender for constructing New Research Laboratory in the Serum Institute, Hebbal, Bangalore.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Earthwork excavation for foundation and removing the excavated earth to a distance of 50 yards after filling in basement with excavated earth duly watering, tamping and layers of 6″ thick on all sides	C.yd.	0 3 0	472	
2	Burnt stone jelly concrete (jelly of 1″ to 1¼″ thick cubes) in lime mortar with the proportion of 1 part of lime to 2½ parts of sand and 4 parts of jelly for foundations laid in layers 6″ thick with consolidation	C.ft.	0 3 6	3,275	
3	Burnt size stone in clay for foundation, courses should not be 8″ high with bond stones every 6′ apart ..	,,	0 3 0	6,719	
4	Burnt size stone in clay for foundation, courses should not be less than 8″ high with bond stones for every 6′ apart including quoin dressing	,,	0 3 3	2,381	
5	Burnt stone slabs 6″ thick roughly dressed to the portions getting inside of wall and 2 line dressing to exposed faces as basement slabs and steps, the slabs should be fixed in lime mortar 1 : 3 ..	S.ft.	0 5 0	1,389	
6	Cills and lintel slabs 6″ thick set in lime mortar 1 : 3 two lines dressing to exposed surfaces for doors, windows and ventilators	,,	0 5 0	1,053	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
7	Burnt brick in mortar for superstructure inserting bond stones at every 6′ apart	C.ft.	0 4 0	6,797	
8	Burnt brick in composite mortar	,,	0 6 0	922	
9	Wire cut bricks in cement mortar of 1 : 3 for partition walls of 4½″ thick	,,	0 10 0	204	
10	Wire cut brick in cement mortar for pillars and pilasters 9″×9″ with cement concrete slabs in three places including caps and bases	,,	0 12 0	249	
11	Cement concrete 1 : 2 : 4 over walls as sills of ventilators	,,	0 10 0	47	
12	R.C.C. slabs with 1½ per cent reinforcement for the lintels of ventilators	,,	1 0 0	105	
13	Burnt stone slabs pillars 6″ thick one line dressed 12″ width for the pergola at sides	S.ft.	0 6 0	57	
14	Rolled steel girders as per B.S S. including lifting and hoisting with boxing lintel girders with wire-cut brick in cement mortar including steeltex tied from above with two coats of corrosive paint and fixing the ends of girders on walls with cement concrete	C.ft.	15 0 0	204	
15	Partition wall with burnt brick in cement mortar 4½″ thick with reinforcement in every 3rd course, etc., complete	,,	0 6 0	1,640	
16	R.C.C. chajja 3½″ thick at the wall and 2½″ thick at the end with mouldings as per design in front and one foot anchorage into the wall to the windows and at roof level	S.ft.	0 10 0	3,256	
17	Dadooing the walls with white glazed tiles pointed with asphalt	Sqr.	90 0 0	15·55	
	(*a*) Do do green tiles pointed with asphalt	,,	90 0 0	2·80	
18	Plastering with chunam mortar with all corners rounded and convex corners plastered with cement 3″ both sides	,,	3 0 0	174·13	
19	Distemper washing 2 coats of required colour	,,	0 10 0	54·17	
20	Colourwashing, 2 coats	,,	0 5 0	76·02	
21	Whitewashing, 2 coats	,,	0 4 0	43·94	
22	Pointing the basement with cement and lining nicely	,,	2 8 0	14·80	
23	Roofing with reinforced cement 1 : 2 : 4 with 1½ per cent reinforcement, 6″ thick for spans upto 10 ft. to take a super load of 1 cwt. per sq.ft. with 1½″ thick emulsion concrete of ½″ broken stone covered with 2 courses of flat tiles and smooth plastering at top and with sufficient slope to drain off rain water and bottom ceiling plastered with finely ground lime mortar as per design	,,	70 0 0	56·05	
24	Roofing as in item No. 23 but with 7½″ to 10″ thick and with other specifications as above	Sqr.	80 0 0	11·22	
25	Flooring with cement concrete 1½″ thick 1 : 2 : 4 over a bed of 4″ thick lime concrete with topping of ½″ thick red cement plastering and cut design of tiles	,,	20 0 0	53·86	
26	Burnt stone slabs 3″ thick flooring over a bed of 3″ thick lime concrete and the top surface dressed two lines	,,	25 0 0	0·52	
27	Skirting of ¾″ thick cement concrete 1 : 2 : 4 with topping of coloured cement ¼″ thick 9″ high for walls as per design	R.ft.	0 2 0	870	
28	Bamboo poles to the pergola both lengthwise, crosswise including 2 coats of required painting	Sqr.	4 0 0	1·62	
29	Burnt stone slabs bench 3″ thick with brackets below benches to bear horizontal slabs with one line dressing on faces	S.ft.	0 5 0	102	
30	R.C.C. Tables 3″ thick with legs or brackets as the case may be partly glazed with white tiles and partly finished with polished surface with sinks provided in them as per design	S.ft.	1 0 0	504	

No.	Items of work	Unit	Rate	Quantity	Cost
		S.ft.	Rs. a. p.		Rs
31	R.C.C. square table sloped to centre with pipe connection to drain off blood with sink in it ..	,,	1 4 0	30	
32	R.C.C. Table (round) 3″ thick as per design ..	,,	1 0 0	10	
33	Teakwood doors with frames 3″×5″ without sills having ⅓ panelled ⅔ glazed (Pilkington's pin headed ⅛″ thick) shutters 1¾″ thick including Acme brass fittings, *i.e.*, fringed plates 12″×4″ as per design, six inches brass hinges, two six inch hooks, brass screws, barrel bolts of suitable size, etc., including Mysore Lac polish for doors on inner walls and green paint for doors on exterior walls with ventilators at top	,,	1 8 0	819	
34	Teakwood windows 3″×5″ frame work with bottom panelled fixed and top 1½″ thick glazed (Pilkington's pin headed ⅛″ thick) shutters opening inside in four-halves including welded grill with ⅝″ square bars at 4″ apart, brass hinges, brass hooks, 2 rings and cement adjusting stays, etc., complete including 2 coats of Mysore Lac green paint with fixed opened lowered panels to ventilators at top as per design	S.ft.	2 0 0	828	
35	Teakwood ventilators 3″×4″ frame with top half shutters fixed with ex. mesh and the bottom portion shutter to have a slope of 1 : 1 fixed with mirror of special type as per design in Museum Hall and Poultry room and of ordinary type in other portions	,,	1 12 0	256	
36	R.C.C. perforated ventilators as per design ..	,,	1 0 0	224	
37	Wrought iron railings to the door of poultry room including 2 coats of green paint	R.ft.	2 8 0	131½	
38	Teakwood frame 1″×1½″ thick with fly-proof wire gauge fixed to the frame including two coats of required paint	S.ft.	0 6 0	425	

Notification dated 14th February 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 2 P.M. on 8th March 1940, for a constructing a block of buildings in front of the existing blocks of the Middle School at Malleswaram, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of September 1940.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at Building Division, Bangalore, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees two thousand and one hundred only (Rs. 2,100) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing a block of buildings in front of the existing block in the Middle School at Malleswaram, Bangalore," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Government, who does not bind itself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Chief Engineer will be final and legally binding.

12. Tenders must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any tender quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for constructing a block of buildings in front of the existing block in the Boys' Middle School at Malleswaram, Bangalore.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		
1	Exarthwork excavation for foundation and filling in basement and removing the excess earth to a distance of 50 yards	C.yd.	0 3 6	1322.5	
2	Stone jelly concrete (jelly of 1″ to 1¼″ thick cubes) in lime mortar with the proportion of 1 : 2½ : 4½ for filling in basement laid in layers of 6″ thick and consolidating complete	C.ft.	0 3 0	9,648	
3	Filling in foundation with size stone in mortar	C.ft.	0 3 6	17,330	
4	Size stone in mortar for basement, courses should not be less than 8″ high with bond stones for every 6′—0″ apart and stones quoin dressed	C.ft.	0 4 0	6,127	
	Burnt stone slabs 6″ thick for covering basement, roughly dressed and two lines on exposed faces, the slabs should be fixed in lime mortar with a proportion of 1 ; 3 ..	S.ft.	0 4 3	3,105	
6	Burnt brick in mortar with necessary bond stones	C.ft.	0 3 6	11277·5	
7	Wire cut bricks in cement mortar with a proportion of 1 : 3 with expanded metal ..	C.ft.	0 14 0	1,253	
8	Cut stone work for pillars as per design furnished during execution	C.ft.	2 13 0	780	
9	Burnt stone slabs 6″ thick set in lime mortar of 1 : 3 two lines dressing to exposed faces for steps	Sq.ft.	0 6 0	270	
10	Burnt stone slabs of 4″ to 6″ thick set in lime mortar of 1 : 3 roughly dressed for lintels and sills	S.ft.	0 4 3	540·4	
11	Teakwood doors with 3″×5″ frame work, 1½″ thick shutters open inside ⅓ panelled at bottom and ⅔ glazed at top including brass fittings	S.ft.	1 10 0	1232·8	
12	Teakwood windows with glazed shutters 1″ thick inside and panelled shutters outside and frame of 3″×5″ with ¾″ m.s. bars 4″ apart with brass fittings	,,	1 12 0	1,494	
13	Teakwood ventilators, designed during execution	,,	1 12 0	747	
14	Burnt brick in lime mortar for arch work ..	C.ft.	0 6 0	11·5	
15	Flooring with cement concrete 1½″ thick over 3″ stone jelly lime concrete and ⅜″ plastering complete, lines cut and finished with red ochre polish	Sqr.	18 0 0	124·33	
16	Flooring with granite slabs dressed laid over 3″ jelly lime concrete including cement pointing	Sqr.	30 0 0	16·90	
17	Roofing of R.C.C. with a proportion of 1 : 2 : 4 and finished with 3″ surki concrete, 2 courses of flat tiles and one inch plaster complete including chajja of verandah with necessary reinforcement	Sqr.	60 0 0	168.75	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		
18	R.C.C. beams 9″ thick as lintels for doors, windows and openings as per standard specifications, design furnished during execution	C.ft.	2 0 0	2,624	
19	Rolled steel joists in the tower portion, including boxing, hoisting and fixing with anti-corrosive paint	Cwt.	15 0 0	13.56	
20	R.C. ventilators, design furnished during execution (square)	S.ft.	0 12 0	304	
21	Plastering with chunam mortar for masonry, $\frac{3}{4}$″ thick	Sqr.	3 0 0	358.34	
22	R.C.C. chajja for windows and doors facing open yard portion)	Sqr.	50 0 0	9.57	
23	White-washing two coats for interior portion	Sqr.	0 4 0	492	
24	Colour washing, two coats	Sqr.	0 6 0	35	
25	Parapet wall 9″ thick and 3′ high for terraced portion	R.ft.	1 0 0	200$\frac{3}{4}$	
26	Painting doors, windows and ventilators with Lac Factory Green painting (two coats)	Sqr.	4 0 0	86.86	
27	Cement pointing to basement with cement mortar of 1 : 2	,,	3 0 0	22.97	
28	Iron railings at the top of the tower portion	R.ft.	1 0 0	24	

M. K. RAJAM IYENGAR,
Executive Engineer.

PRIVATE ADVERTISEMENTS.

IN THE COURT OF THE PRINCIPAL SUB-JUDGE AT BANGALORE.

31 *Insolvency Application No.* 36 *of* 1939-40.

D. Aralaraju Pillay, son of T. Doreswamy Pillay, Signaller Mysore State Railway, Bangalore .. *Petitioner.*

vs.

(1) Mahanlale, (2) K. Jayamanzamul, (3) Salvaraja Chettiar, (4) Syed Lazul, (5) Noore Khan, and (6) G. Nemichand .. *Opponents.*

Whereas the petitioner D. Aralaraju Pillay, has applied to this Court, by a petition dated 30th of November 1939, to be declared an insolvent under the Mysore Insolvency Act, VI of 1911, and your name appears in the list of creditors filed by the aforesaid debtor, this is to give you notice that the Court has fixed the 24th day of February 1940, for the hearing of the aforesaid petition and the examination of the debtor. If you desire to be represented in the matter, you should attend in person or by duly instructed pleader.

---

32 *Insolvency Application No.* 48 *of* 1939-40.

(1) Chowkimatada Veerasangiah, (2) Chowkimatada Santhiah and (3) Chowkimatada Sreekantaradhya, all residing at Madhugiri .. *Petitioners.*

vs.

(1) D. K. Nabhirajayya, (2) S. Padmarajayya and (3) Santalingiah .. *Opponents.*

Whereas the three abovenamed petitioners have applied to this Court, by a petition dated 25th day of January 1940, to be declared insolvents under the Mysore Insolvency Act VI of 1911, and your name appears in the list of creditors filed by the aforesaid debtors, this is to give you notice that the Court has fixed the 9th day of March 1940 for the hearing of the aforesaid petition and the examination of the debtors. If you desire to be represented in the matter, you should attend in person or by duly instructed pleader.

D. RAGHAVENDRA RAO,
Principal Sub-Judge.